

L Number	Hits	Search Text	DB	Time stamp
-	235	(345/561).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:31
-	5536	((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:29
-	5262	((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:30
-	1268	(717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:31
-	162	(((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:31
-	39747	(object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:33
-	77	(((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))) and ((object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:41
-	5854	(evaluat\$3 or analyz\$3 or examin\$3 or monitor\$3 or validat\$3 or verifi\$3 or verify\$3) with ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:42

-	8	((evaluat\$3 or analyz\$3 or examin\$3 or monitor\$3 or validat\$3 or verifi\$3 or verify\$3) with ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1))) and (((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))) and ((object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:46
-	221	((track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:49
-	3	((track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:50
-	3462	(evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:17
-	365	((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:54
-	12	((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:54

-	13044	(boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:58
-	4499	((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:59
-	497	((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1)) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 16:59
-	21	((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1)) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 17:48
-	6549	(evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 17:58
-	1443	(717/124 or 717/136 or 717/139 or 717/140).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 17:58
-	115	((717/124 or 717/136 or 717/139 or 717/140).clss) or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss)) and ((evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 17:58
-	73	((717/124 or 717/136 or 717/139 or 717/140).clss) or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss)) and ((evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1)) and (source adj2 (code or program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:15

-	34904	(logical or bool or boolean) with ("OR" or "AND")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:16
-	1069	((logical or bool or boolean) with ("OR" or "AND")) and ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:16
-	17277	(pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:18
-	242	((logical or bool or boolean) with ("OR" or "AND")) and ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:18
-	14	((logical or bool or boolean) with ("OR" or "AND")) and ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 18:18
-	24	((short adj1 circuit) with evaluat\$3) and ((bool\$3 or logical) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:39
-	10811	(concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:44
-	381	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3 or logical) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:21
-	2757	((717/124 or 717/136 or 717/139 or 717/140).clss) or ((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22
-	1508	((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22
-	2757	((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss)) or ((717/124 or 717/136 or 717/139 or 717/140).clss) or ((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22

-	5	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).class) or ((345/561).class) or ((717/124 or 717/136 or 717/139 or 717/140).class) or ((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).class) or ((345/561).class)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22
-	140	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:26
-	79	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))) and @pd<20020116	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:25
-	7	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) with ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:26
-	11	((short adj1 circuit) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:40
-	13	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:45
-	11452	(concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3 or (at adj2 "same" adj2 time)) with evaluat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:45
-	14	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3 or (at adj2 "same" adj2 time)) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:26
-	107059	switch with case\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:28
-	60221	program\$4 with language\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:26
-	60	(switch with case\$1) same (program\$4 with language\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:27
-	1094	switch near4 construct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:28

-	6	(switch near4 construct) same (program\$4 with language\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:28
-	21415	("713").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:43
-	14361	bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:45
-	487	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:45
-	665	(short adj1 circuit) with evaluat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:46
-	3	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1))) and ((short adj1 circuit) with evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:46
-	41	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1))) and (evaluat\$3 with (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 15:47